

BACKED BY THE LARGEST SUPPORT NETWORK IN THE UK  
WITH OVER 160 GEMCO EMPLOYED ENGINEERS

# WINTER 2025/2026 OFFERS ❄️



# GEMCO®

THE GARAGE EQUIPMENT & MAINTENANCE COMPANY





**3-YEAR WARRANTY\***

## BRADBURY ATL BAY CLASS 4

ATL4H4403ATLXL4100

CLASS 4 (Brake Tester)

H4403 ATL XL (Lift)

BJB15RDE (Jacking Beam)

GEMCOLITECHECK6DLG (Headlamp Aligner)

- **LIFTING CAPACITY**  
4000kg
- **LIFTING/LOWERING TIME**  
24/26 SECONDS
- **PLATFORM LENGTH**  
4780mm
- **PLATFORM WIDTH**  
630mm

- **MINIMUM HEIGHT**  
140mm
- **MAXIMUM HEIGHT**  
1810mm
- **POWER SUPPLY**  
3 PHASE + AIR
- **MOTOR POWER**  
3kW

**£26,995**

OFFER PRICE

**3-YEAR WARRANTY\***

## BRADBURY ATL BAY CLASS 4 & 7

ATL7H4523ATLLWB7100

CLASS 7 (Brake Tester)

H4523 ATL LWB (Lift)

BJB28RDE (Jacking Beam)

GEMCOLITECHECK6DLG

(Headlamp Aligner)



- **LIFTING CAPACITY**  
5200kg
- **LIFTING/LOWERING TIME**  
24/26 SECONDS
- **PLATFORM LENGTH**  
6210mm
- **PLATFORM WIDTH**  
633mm
- **MINIMUM HEIGHT**  
160mm
- **MAXIMUM HEIGHT**  
1840mm
- **POWER SUPPLY**  
3 PHASE + AIR
- **MOTOR POWER**  
3kW

**£30,995**

OFFER PRICE

## BRADCOMBI4-B INTEGRATED COMBINED GAS AND SMOKE EMISSION ANALYSER

**£5,550**

WHEN PURCHASED  
WITH ATL BAY



**Emission Testers** can be included as an optional addition to any MOT bay, ensuring full compliance with testing requirements.

\*Warranty subject to maintenance

## TECALEMIT ATL BAY 5

### CLASS 4 & 7 ATL

DE9719ATL (Brake Tester)

SF7033 (Lift)

SS8280M-EW (Jacking Beam)

DE7588 (Headlamp Aligner)

**Lifting Capacity:** 5200kg

**Minimum Height:** 160mm

**Maximum Height:** 1840mm

**Lifting/Lowering Time:** 44 sec.

**Platform Length:** 6100mm

**Motor Power:** 3kW

**Operation:** Electro-hydraulic

**Power Supply:** 3 PH+AIR

(16A isolator required)

**3-YEAR WARRANTY\***



# £29,995

OFFER PRICE



## TECALEMIT ATL BAY 4

### CLASS 4 ATL

DE9419ATL (Brake Tester)

SF7013 (Lift)

SS8200M-EW (Jacking Beam)

DE7588 (Headlamp Aligner)

**3-YEAR WARRANTY\***

# £25,995

OFFER PRICE

**Lifting Capacity:** 4000kg

**Minimum Height:** 140mm

**Maximum Height:** 1810mm

**Platform Length:** 4680mm

**Lifting/Lowering Time:** 24/26 sec.

**Width Between Posts:** 2600mm

**Motor Power:** 3kW

**Operation:** Electro-hydraulic

**Power Supply:** 3 PH & 1 PH\* +AIR

\*Optional Extra

### TECALEMIT OFFERS VERSATILE MOT BAY SOLUTIONS FOR CLASS 4 AND CLASS 7 TESTING.

Class 4 & 7 bays can be configured with pit, 4-Post Lift (recessed or surface-mounted), and are available in various formats, including two-person testing (MOT),

One Person Test Lane (OPTL) or Automated Test Lane (ATL) options.

\*Warranty subject to maintenance



# TECALEMIT ATL BAY 3

## CLASS 4 ATL

DE9419ATL (Brake Tester)

SF7533 (Scissor Lift)

SS8200M-EW (Jacking Beam)

DE7588 (Headlamp Aligner)

**Lifting Capacity:** 4300kg

**Minimum Height:** 240mm

**Maximum Height:** 2090mm

**Platform Length:** 4650mm

**Lifting/Lowering Time:** 95 sec.

**Distance Between Platforms:** 900mm

**Motor Power:** 3kW

# £32,915

OFFER PRICE



3-YEAR WARRANTY\*



Brake  
Tester

Headlamp  
Aligner



## INTEGRATED TECALEMIT EMISSION TESTER

TGDMD52520

All our MOT Bay packages include DVSA-approved equipment, such as roller **brake testers**, **play detectors**, **jacking beams**, **headlamp aligners** and **market leading Autopstenhoj lifts**, ensuring you have everything needed for a seamless MOT testing process.

Plus, with a **3-year warranty**, you get total peace of mind for years to come.

3-YEAR WARRANTY\*

# £4,635

WHEN PURCHASED  
WITH ATL BAY




**Emission Testers can be included as an optional addition to any MOT bay, ensuring full compliance with testing requirements.**

\*Warranty subject to maintenance



# BRADBURY H4403 SERIES

Designed for **Class IV MOT** and **ATL** testing, the **BRADBURY H4403 SERIES** offers exceptional reliability, efficiency, and safety. With electro-hydraulic operation and a **4.0-Tonne capacity**, these lifts ensure smooth and accurate vehicle testing.



H4403ATL

Motor **3kW**  
Overall Length: **4540-4960mm**  
Lifting/ Lowering Time: **24-26 sec.**  
Drive Through Width: **2350-2600mm**



**2-YEAR WARRANTY\***

## MOT Models:

- **H4403MOT-SR** – Narrow/shallow recess version for compact spaces.
- **H4403MOT** – Standard MOT lift, built for DVSA-approved testing.

## ATL Models:

- **H4403ATL-SR** – Narrow/shallow recess ATL lift for flexible workshop layouts.
- **H4403ATL-SL** – Standard length ATL lift for efficient testing.
- **H4403ATL-XL** – Extra-long version for larger vehicles.

**£14,995**  
H4403ATL-SR

**£14,995**  
H4403ATL-SL

**£11,788**  
H4403MOT-SR  
H4403MOT

**£13,995**  
H4403ATL-XL



H4403MOT

# CLASS 4 & CLASS 7 DVSA APPROVED CONNECTED BRAKE TESTERS



**2-YEAR WARRANTY\***

**DE/9419 & DE/9719**

Ensure precision and compliance with **TECALEMIT DVSA-APPROVED CONNECTED BRAKE TESTERS'** designed for seamless MOT testing.



These testers feature advanced digital connectivity, streamlining the testing process for a wide range of vehicles.

- **EASY & ACCURATE** – Infrared remote-controlled for seamless operation.
- **PC CONTROLLED & UPGRADEABLE** – Compatible with Tecalemit Emissions Testing System.
- **DURABLE & SAFE** – Galvanised roller beds with safety covers.
- **MOT & ATL APPROVED** – Fully DVSA-approved for compliance.
- **VEHICLE COMPATIBILITY** – DE/9419: Class 3 & 4 (incl. 3-wheelers & 4X4s).  
DE/9719: Class 3, 4, 5L & 7 (incl. vans & light commercials).

**£14,595**  
DE9719ATL

**£11,495**  
DE9419ATL

\*Warranty subject to maintenance



## WC5601 + WCAA + WC5621

2-YEAR WARRANTY\*

PACKAGE DEAL

**£3,495**



### WC5601 TYRE CHANGER

Handles wheels up to 26" (internal clamping) or 24" (external clamping) with ease. Built for durability and smooth operation.

### WCAA ASSIST ARM

Essential for handling low-profile and run-flat tyres with extra control.

### WC5621i WHEEL BALANCER

A high-precision electronic balancer with a LED display for quick, accurate results.

## DTM385HD + WCAA + DWB920

1-YEAR WARRANTY\*



PACKAGE DEAL

**£2,995**

### DTM385HD TYRE CHANGER

Fully automatic - handles wheels up to 26" (external clamping). Ideal for run-flat and low-profile tyres, with alloy protection for the turntable.

### WCAA ASSIST ARM

Essential for extra control when handling low-profile and run-flat tyres.

### DWB920 WHEEL BALANCER

Electronic, motorised wheel balancer, designed for busy tyre shops, with standard accessories like rim width tool and wheel weight hammer/pliers.

## TTC750 + TBM750V

PACKAGE DEAL

**£3,995**



2-YEAR WARRANTY\*

### TTC750 TYRE CHANGER

Handles wheels up to 24" (external) and 26" (internal), featuring a leverless mounting head, tilt-back column, and side-mounted assist arms for smooth operation on low-profile and run-flat tyres.

### TBM750V WHEEL BALANCER

Equipped with a high-resolution LCD display, automatic rim data input, laser pointer, and 11 balancing programs for steel and alloy wheels, ensuring precision and ease of use.

## AUTOMATIC LEVERLESS TYRE CHANGER FOR CARS & LGVS

## AQUILA AS924 + SRM300 + MT3600UP

PACKAGE DEAL

**£7,755**

3-YEAR WARRANTY\*



### AQUILA AS924+SRM300 TYRE CHANGER

Handles wheels up to 24" (external) and 26" (internal), featuring a twin-speed turntable tilt-back column, and the SRM300 assist arm for effortless handling of low-profile and run-flat tyres.

### MT3600up WHEEL BALANCER

Accommodates wheels up to 35" in diameter & 20" wide, supports wheel weights up to 75 kg, and completes cycles in around 7 seconds.

PREMIUM RANGE  
MANUFACTURED IN ITALY



OPTIONAL TL3 SONAR  
8-21100293/90  
£450

OPTIONAL LASER LINE &  
LED KIT 8-21100238  
£245



OPTIONAL ROLLER KIT  
8-11120096  
£210

SRM300  
ASSIST ARM  
INCLUDED

\*Warranty subject to maintenance



## SF7303 TWO-POST LIFT

The **SF7303** is a durable **3-Tonne** two-post lift, designed for narrow bays with a solid H-frame for extra support.

Its ultra-low 50mm minimum height allows easy access to low-clearance vehicles, ensuring efficiency and precision.

- **MIN/MAX HEIGHT**  
50MM / 1945MM
- **FRONT ARM LENGTH**  
515MM - 845MM
- **REAR ARM LENGTH**  
760MM - 1200MM
- **DRIVE-THROUGH WIDTH**  
2560MM
- **MOTOR POWER**  
3.6KW
- **WARRANTY**  
2 YEARS



**£4,695**

### PAD ADAPTOR

SET OF 150mm (SET OF 4) FOR SF7303

**£295**

CODE: 8-43100153

## WCA3DHD WHEEL ALIGNER

Designed for efficiency, it features **adjustable wheel clamps** ranging from **10"-22"**, ultimate tracking of targets, and integrated data tools to keep every alignment job smooth and consistent.

Extensive **international vehicle database** for comprehensive coverage.

Can be combined with a compatible wheel alignment lift if required.




**£7,495**

**2-YEAR WARRANTY\***

## SF7793 & SF7773

The **SF7793** is a **5-Tonne wheel alignment lift** with wide runways for easy vehicle positioning, while the **SF7773** is a **4-Tonne service lift** with flat platforms for stability. Both models ensure smooth operation, durability, and efficient access for workshop tasks.



**SF7773**

**£6,950**

**SF7793**

**£10,750**

- **DRIVE THROUGH WIDTH**  
SF7793 – 2950MM  
SF7773 – 2775MM
- **PLATFORM LENGTH**  
SF7793 – 5700MM  
SF7773 – 4800MM
- **LIFTING CAPACITY**  
SF7793 – 5T | SF7773 – 4T
- **MIN/MAX HEIGHT**  
SF7793 – 153MM / 1953MM  
SF7773 – 127MM / 1927MM
- **OPERATION**  
ELECTRO-HYDRAULIC (SF7793)

**2-YEAR WARRANTY\***

## DSL36/1 & DSL36/3



The **Dunlop DSL36** is a **3.6-tonne full-rise scissor lift** with a twin-cylinder system, and lockable run-on ramps for safety and reliability.

- **LIFTING/LOWERING TIME**  
40 SECONDS
- **ULTRA-LOW PROFILE**  
110mm MIN HEIGHT
- **MOTOR SIZE**  
3kw
- **AVAILABLE IN 1PH OR 3PH**

**SPECIAL OFFER**

**£3,995**

**1-YEAR WARRANTY\***

## H8935MG/1 SCISSOR LIFT

The **Bradbury H8935MG/1** is a **3.5-Tonne electro-hydraulic mobile scissor lift** with a double hydraulic system and galvanised components. It's designed for stability and comes with a mobile kit.

**£3,695** **INSTALLED**

**£3,295** **DELIVERY ONLY**



- **LIFTING/LOWERING TIME**  
16 SECONDS
- **PLATFORM WIDTH**  
525MM
- **WORKING HEIGHT**  
995MM
- **MINIMUM HEIGHT**  
105MM

**2-YEAR WARRANTY\***

## BLACKTRON BFH300 & BFH400 INDUCTION HEATERS



The **Blacktron BFH400** and **BFH300** Induction Heaters provide fast, flameless heating for workshops.

The **BFH400** delivers 3.9 kW of power for heavy-duty applications, while the compact 3.7 kW **BFH300** offers quick, precise heating of bolts and metal parts with efficient liquid cooling.

**3-YEAR WARRANTY\***

**BFH300**

**£2,600**

**BFH400**

**£2,945**

### BFH300 ACCESSORIES AVAILABLE

**STANDARD INDUCTOR**



Cod. IND358NM

**FRONT INDUCTOR**



Cod. IND358FRNM

**ROUND TIP INDUCTOR**



Cod. RND358NM

**RING INDUCTOR**



Cod. IND3RX

\*Warranty subject to maintenance



## DLH40 TWO-POST LIFT



Built for durability and performance, the **Dunlop DLH40** is a heavy-duty two-post lift designed to effortlessly handle vehicles up to 4 tonnes. With dependable lifting power and lower maintenance requirements, it's a reliable choice for any professional workshop.



**4-TONNE**

SPECIAL OFFER

**£2,595**

1-YEAR WARRANTY\*

- LIFTING/LOWERING TIME  
**40 SECONDS**
- POST DISTANCE  
**2800MM**
- OVERALL WIDTH  
**3350MM**
- MOTOR POWER  
**2.2KW**
- MINIMUM HEIGHT  
**98MM**
- MAXIMUM HEIGHT  
**1900MM**
- POWER SUPPLY  
**1 PHASE OR 3 PHASE**
- GROSS WEIGHT  
**615KG**

**PAD ADAPTOR**

SET OF 80MM (X 4) & 150MM (X 4)

**£125**

CODE: 99991306  
WHEN PURCHASED WITH DUNLOP LIFTS

## DLH40B TWO-POST LIFT



Engineered for strength and safety, the **Dunlop DLH40B** is a dependable two-post lift capable of handling demanding vehicle maintenance tasks with ease. It offers reliable operation with low maintenance demands, keeping downtime to a minimum.



**4-TONNE**

SPECIAL OFFER

**£2,995**

1-YEAR WARRANTY\*

- LIFTING/LOWERING TIME  
**40 SECONDS**
- POST DISTANCE  
**2800MM**
- OVERALL WIDTH  
**3350MM**
- MOTOR POWER  
**2.2KW**
- MINIMUM HEIGHT  
**98MM**
- MAXIMUM HEIGHT  
**1900MM**
- POWER SUPPLY  
**1 PHASE OR 3 PHASE**
- GROSS WEIGHT  
**615KG**



## H2411/3G TWO-POST LIFT

**4-TONNE**

The Bradbury H2411/3G is a 4-Tonne electro-hydraulic 2-post lift with an overhead gantry for unobstructed floor access. It also offers a high gantry extension for taller vehicles and is available in 1 phase or 3 phase.

**£4,495**

2-YEAR WARRANTY\*

- LIFTING/LOWERING TIME  
**50 SECONDS**
- FRONT ARM LENGTH  
**598MM/1250MM**
- DRIVE THROUGH WIDTH  
**2530MM**
- MIN/MAX HEIGHT  
**95MM/3450MM**

**PAD ADAPTOR**

SET OF 80MM (x4) & 180MM (x4)

**£399**

CODE: H24G-PADKIT / H24B-PADKIT  
WHEN PURCHASED WITH BRADBURY LIFTS

## H2411/3B TWO-POST LIFT

**£3,995**

The Bradbury H2411/3B is a versatile 4-Tonne 2-post lift with an H-type base frame, eliminating the need for overhead cables. It offers reliable performance and flexibility. Available in 1 phase or 3 phase.

**4-TONNE**

- LIFTING/LOWERING TIME  
**40 SECONDS**
- FRONT ARM LENGTH  
**598MM/1250MM**
- DRIVE THROUGH WIDTH  
**2506MM**
- MINIMUM HEIGHT  
**95MM (SCREW ADJUSTABLE)**
- MAXIMUM HEIGHT  
**2061MM**

## H4403SL+ FOUR-POST LIFT

The Bradbury H4403SL+ is a 4-Tonne electro-hydraulic four-post service lift with a low-profile platform. It features **4800mm platform length** and comes with surface-mounted run-on ramps.

**£7,165**

**4-TONNE**

- LIFTING/LOWERING TIME  
**34 SECONDS**
- DIST. BETWEEN PLATFORMS  
**820-960MM**
- DRIVE THROUGH WIDTH  
**2775MM**
- MAX/MIN HEIGHT  
**125MM/1960MM**

2-YEAR WARRANTY\*



## H4403WL FOUR-POST LIFT

The Bradbury H4403WL is a 4-Tonne electro-hydraulic four-post wheel alignment lift with recessed turnplates and rear slip plates for precise alignment. It features a low-profile platform and a **platform length of 4800mm**.

**£8,715**

**4-TONNE**

- LIFTING/LOWERING TIME  
**34 SECONDS**
- DIST. BETWEEN PLATFORMS  
**840-940MM**
- DRIVE THROUGH WIDTH  
**2950MM**
- MAX/MIN HEIGHT  
**180MM/1960MM**

2-YEAR WARRANTY\*



\*Warranty subject to maintenance



# **EHB9 SERIES** **MOBILE COLUMN LIFT**



## **3-YEAR WARRANTY\***

The powerful Finkbeiner EHB9 Series galvanised, waterproof model is a trusted lifting solution for wash bays servicing commercial vehicles and buses.

Up to 10 columns can be used together, providing an impressive lifting capacity of 7.5 tonnes per column.

◦ **LIFTING/LOWERING TIME**

**90 SECONDS**

◦ **MOTOR SIZE**

**2.2KW**

◦ **BATTERY POWER**

**8 HOURS**

◦ **LIFTING HEIGHT**

**1850MM**

◦ **LIFTING CAPACITY**

**7.5 TONNES**

◦ **MIN/MAX HEIGHT**

**550MM / 1140MM**

◦ **OPERATION**

**ELECTRO-HYDRAULIC**

**GALVANISED FOR  
OUTDOOR USE**

**£28,995**

**INDOOR USE**

**£23,995**

\*Warranty subject to maintenance

# H2603HG TWO-POST LIFT

(ATF/HGV/PSV)

The Bradbury H26 Series twin-ram two-post lifts feature a baseless design with overhead gantries, perfect for using transmission jacks and oil drainers. With a low pad height of 122mm, they accommodate most cars and LWB vans.

FREE SET OF 185MM PAD ADAPTORS

- **LIFTING/LOWERING TIME**  
60 SECONDS
- **MOTOR SIZE**  
2.2KW
- **DRIVE THROUGH**  
2838MM-3038MM
- **HIGH LIFT PADS ADAPTORS**  
185MM
- **LIFTING CAPACITY**  
6 TONNES
- **MIN/MAX HEIGHT**  
122-215MM / 1872-1965MM
- **OPERATION**  
ELECTRO-HYDRAULIC
- **POWER REQUIREMENTS**  
3 PHASE

2-YEAR WARRANTY\*

£7,395



3-YEAR WARRANTY\*

£9,895

## MAESTRO 2.50 NXT TWO-POST LIFT

The Autopstehoj Maestro 2.50 NxT offers ultimate workshop flexibility, handling cars through to LWB vans. Its baseless design with an overhead portal ensures adaptability, providing a robust and efficient solution for modern vehicle workshops.

- **LIFTING/LOWERING TIME**  
55 SECONDS
- **MOTOR SIZE**  
2.8KW
- **DRIVE THROUGH**  
2838MM-3038MM
- **FRONT & REAR ARM LENGTH**  
906MM / 1926MM
- **LIFTING CAPACITY**  
5 TONNE
- **MIN/MAX HEIGHT**  
122MM / 1900MM
- **OPERATION**  
ELECTRO-HYDRAULIC
- **POWER REQUIREMENTS**  
3 PHASE

# TTC850CV COMMERCIAL VEHICLE TYRE CHANGER

The TTC850CV is a robust tyre changer for commercial and agricultural wheels up to 59", offering smooth, powerful operation with its dual-direction hydraulic motor and self-centring clamp.

- **CLAMPING (INSIDE)**  
14"-56"
- **MAXIMUM WHEEL WIDTH**  
1100MM
- **OPERATING PRESSURE**  
130-150 BAR
- **NOISE LEVEL**  
75DB
- **AIR REQUIRED**  
YES
- **ELECTRICAL SUPPLY**  
380/415 VOLT (3 PHASE)
- **MACHINE DIMENSIONS**  
2280MM x 2050MM x 1600MM

2-YEAR WARRANTY\*

£6,495



\*Warranty subject to maintenance



# DE9700 CV BRAKE TESTER

DVSA Approved Connected (ATF/HGV/PSV)

The DE/9700 CV Brake Tester is the first CVBT designed specifically for UK ATF testing requirements. Built on decades of brake testing expertise, this heavy-duty roller bed system sets the standard with:

## 2x 15kW MOTORS AND 'SOFT-START' TECHNOLOGY.

- INTEGRATED 8-SENSOR AXLE WEIGHING FOR AUTOMATIC AND EFFICIENT RESULTS.
- VEHICLE RECORD DATABASE FOR PERIODIC SAFETY CHECKS.
- COMPREHENSIVE TESTING FOR HGVs, TRAILERS, BUSES AND MORE.

3-YEAR WARRANTY\*

**£33,995**



2-YEAR WARRANTY\*

**£1,795**



# DE7588HGV HEADLAMP BEAM TESTER

The DE7588HGV Headlamp Beam Tester is the ultimate tool for accurate and reliable headlamp testing, fully approved for UK MOT standards. Engineered for performance and ease of use.

- PRECISION ALIGNMENT WITH A LINED MIRROR AND LASER FOR ACCURATE ADJUSTMENTS.
- COUNTER-BALANCED OPTICAL BOX FOR EASY HEIGHT ADJUSTMENTS.
- EQUIPPED WITH AN RS232 PORT TO DOWNLOAD TEST RESULTS.

# TECALEMIT PITS ATL/OPTL/ATF

Built for durability and performance, the Tecalemit Pits offers a superior inspection solution with:

- 4MM STEEL WALLS AND 4.5MM CHEQUER PLATE FLOORING.
- STRUCTURAL CALCULATIONS AND CONCRETE SPECS INCLUDED AS STANDARD.
- LOW-VOLTAGE LIGHTING, AIR SUPPLY FITTINGS, AND REMOVABLE STEPS.
- OPTIONAL SLIDING PLATFORM AND STORAGE TUNNEL.

MANUFACTURED TO YOUR INDIVIDUAL SPECIFICATION

**£POA\*\***



\*Warranty subject to maintenance

\*\*Please call to discuss your size requirements





**K&S McKenzie Ltd  
Millbrook Road  
Kingstown Industrial Estate  
Carlisle  
Cumbria  
CA3 0EU**

**[www.kandsmckenzieltd.co.uk](http://www.kandsmckenzieltd.co.uk)  
[info@kandsmckenzieltd.co.uk](mailto:info@kandsmckenzieltd.co.uk)  
Tel: 01228 528218**

**\*\*All prices included in this brochure are subject to VAT at the standard rate.\*\***